

HDT QUICK HALT / TAC SHELTER

Our Lightest, Fastest Shelter System




The Quick Halt / TAC Shelter by HDT fulfills the U.S. military's requirement for a swiftly deployable shelter in forward operations. Specifically designed for Company-Brigade level operations, this shelter offers rapid assembly and robust construction. It serves as an ideal solution for units requiring frequent relocation to maintain stealth and security.

Available in multiple sizes, Quick Halt / TAC shelter can be complexed or booted to a vehicle to give a command element additional space. The shelter includes a fabric floor, interior liner with wire harness, ECU ports and power cable passthrough.

Using combat-proven mil-spec design and materials and HDT's articulating frame technology constructed from Titanite® components. Titanite provides five times the flex strength than aluminum for the same diameter and cross-sectional area, resulting in a lightweight and cost-effective solution that reduces the logistical burden associated with legacy shelters.

KEY FEATURES

- Quick Halt/TAC Includes:
 - Fabric floor
 - Interior liner with wire harness
 - ECU ports, power cable passthrough on end walls
 - Steel stake kit with mallet
 - Repair kit
 - Pre-attached wind lines
- Complexing door to door or shelter open end can be done without additional boots, frame, or fabric components
- Light fixture hanging rings
- Interior liner assists with temperature regulation
- Withstands 55 mph sustained wind



Titanite vs. Aluminum

Images 1-3: Titanite poles require 52% more force to make a 6" bow and have 98% less deformation after stress is applied and released.

Images 4-6: Aluminum poles bend and stay deformed after a 6" bow, which means a shorter life and more replacements.

HDT QUICK HALT / TAC SHELTER

Our Lightest, Fastest Shelter System



SPECIFICATIONS

Ordering information	Model 401 (no liner)	Model 401 (includes liner)	Model 402 (no liner)	Model 402 (includes liner)	Model 403 (no liner)	Model 403 (includes liner)
Part number						
Tan	101-H046673-130	101-H046406-130	101-H046672-130	101-H041605-130	101-H046671-130	101-H040763-130
Olive Drab	101-H046673-120	101-H046406-120	101-H046672-120	101-H041605-120	101-H046671-120	101-H040763-120
NSN number						
Tan	8340-01-724-6447	8340-01-724-6386	8340-01-724-6454	8340-01-724-6393	8340-01-724-7611	8340-01-724-6415
Olive Drab	8340-01-724-6432	8340-01-724-6385	8340-01-724-6450	8340-01-724-6391	8340-01-724-7606	8340-01-724-6408
Interior dimensions (W x L)						
Floor space	15' x 6' 4.57 x 1.83 m	15' x 6' 4.57 x 1.83 m	15' x 12' 4.57 x 3.66 m	15' x 12' 4.57 x 3.66 m	15' x 18' 4.57 x 5.49 m	15' x 18' 4.57 x 5.49 m
Area	90 ft ² 8.4 m ²	90 ft ² 8.4 m ²	180 ft ² 16.7 m ²	180 ft ² 16.7 m ²	270 ft ² 25.1 m ²	270 ft ² 25.1 m ²
Door information	End-wall doors	End-wall doors	End-wall doors	End-wall doors	End-wall and Side doors	End-wall and Side doors
Packed dimensions	75" x 20" x 16" 190.5 x 50.8 x 40.6 cm	75" x 20" x 16" 190.5 x 50.8 x 40.6 cm	75" x 26" x 22" 190.5 x 66 x 55.9 cm	75" x 26" x 22" 190.5 x 66 x 55.9 cm	75" x 32" x 28" 190.5 x 81.3 x 71 cm	75" x 32" x 28" 190.5 x 81.3 x 71 cm
Weight	149 lbs 67.6 kg	159 lbs 72 kg	210 lbs 95.5 kg	227 lbs 103 kg	265 lbs 120.2 kg	295 lbs 134 kg
Set-up						
Time	2-5 minutes	2-5 minutes	2-5 minutes	2-5 minutes	3-6 minutes	3-6 minutes
Personnel	2 each	2 each	2 each	2 each	2 each	2 each

Products, product specifications and data are subject to change without notice to improve reliability, function, and/or design. Please contact Customer Service at 800.969.8527 for the most up-to-date product information.



Scan for setup / strike video:



HDT Expeditionary Systems, Inc.

30500 Aurora Road, Suite 100, Solon, OH 44139 USA
P 800.969.8527 / 216.HDT.6111 / sales@hdtglobal.com

NON-EXPORT CONTROLLED INFORMATION

Revision 09 12-24 01-01-01-0561